

**Table 4F**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**

Page: 1  
Run Date: 5 / 29 / 12

**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
16th Street	7,447	4.0	6.6	82.7	0.3	4.7	1.7	0.0
Aurora	3,428	4.9	79.9	5.1	0.2	7.8	2.1	0.0
Barron Cty	1,082	81.0	5.9	9.9	1.3	0.4	1.6	0.0
Bay Area	826	82.3	0.2	3.9	5.7	0.4	7.5	0.0
Buffalo	410	85.9	0.5	11.7	0.2	0.5	1.2	0.0
Burnett Cty	394	87.6	0.3	1.8	1.5	0.0	8.9	0.0
Calumet Cty	730	64.8	3.6	20.7	0.0	8.5	2.5	0.0
Chippewa	1,332	90.2	0.3	3.1	0.0	1.4	5.0	0.0
City Mad	7,453	27.1	21.3	34.7	0.3	7.1	9.6	0.0
Clark Cty	811	64.6	0.9	31.4	0.1	0.1	2.8	0.0
Columbia Cty	791	78.0	2.7	13.9	0.3	0.1	5.1	0.0
Cudahy	2,825	55.0	6.0	29.3	0.2	1.8	7.8	0.0
Dodge Cty	1,317	67.7	0.9	26.5	0.2	0.5	4.3	0.0
Door Cty	534	78.7	2.8	14.8	0.0	0.0	3.7	0.0
Dunn Cty	859	79.2	0.9	7.3	0.1	9.8	2.7	0.0
Eau Claire	2,279	63.7	1.1	9.0	0.5	16.0	9.7	0.0
Family Health	1,097	64.0	0.4	31.7	0.2	0.7	3.0	0.0
Family Plan	3,847	61.9	1.4	9.9	0.6	19.7	6.5	0.0
Florence Cty	99	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4F**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**

Page: 2  
Run Date: 5 / 29 / 12

**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Fond du Lac	2,052	60.5	3.4	24.5	0.0	3.6	7.9	0.0
Forest Cty	229	85.6	0.0	0.9	2.2	0.0	11.4	0.0
GLITC	1,286	6.1	0.0	5.4	76.1	0.3	12.1	0.0
Grant Cty	1,037	90.0	1.3	6.9	0.1	0.5	1.3	0.0
Green Cty	664	76.8	0.8	19.4	0.0	0.6	2.4	0.0
Health	3,592	31.0	20.0	39.3	0.1	0.6	9.0	0.0
Jackson	510	82.7	1.2	9.2	3.5	0.6	2.7	0.0
Jefferson Cty	1,709	55.2	0.8	41.7	0.1	0.2	1.9	0.0
Juneau	1,337	86.1	0.1	7.5	0.2	0.4	5.7	0.0
Kenosha Cty	4,405	34.5	17.6	39.8	0.1	0.6	7.4	0.0
Kewaunee Cty	347	76.1	0.9	19.3	0.3	0.6	2.9	0.0
La Crosse Cty	2,323	63.2	3.3	4.6	0.6	17.6	10.8	0.0
Marinette	930	90.8	0.4	6.0	0.4	0.1	2.3	0.0
Menominee	570	0.2	0.0	12.3	14.4	0.0	73.2	0.0
Mil. City	8,360	8.0	55.3	25.7	0.1	6.7	4.1	0.0
MLK	3,458	3.1	83.5	7.7	0.1	0.6	5.0	0.0
Monitowoc	1,562	59.7	1.5	23.9	0.6	8.8	5.4	0.0
Monroe Cty	1,079	75.9	1.3	17.2	0.6	1.2	3.8	0.0
NEW Comm	6,301	41.1	11.2	33.4	1.4	7.8	5.1	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4F**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**

Page: 3  
Run Date: 5 / 29 / 12

**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
NHA	4,202	64.3	9.0	23.2	0.1	0.6	2.7	0.0
NWCSA	1,239	77.9	2.0	4.2	1.4	0.6	14.0	0.0
Oconto Cty	639	92.3	0.2	4.9	0.2	0.3	2.2	0.0
Oneida	585	6.8	0.5	21.9	53.2	0.3	17.3	0.0
Oneida Cty	598	88.8	2.0	4.3	0.2	0.3	4.3	0.0
Outagamie	2,618	57.6	2.8	17.9	0.5	13.2	8.0	0.0
Pierce Cty	690	84.2	0.7	7.4	0.3	0.3	7.1	0.0
Polk Cty	907	92.5	0.1	3.3	0.6	0.1	3.4	0.0
Portage Cty	1,219	69.0	0.4	13.6	0.0	14.4	2.5	0.0
Price Cty	419	91.6	0.7	3.3	0.2	2.4	1.7	0.0
Racine	1,613	13.4	38.6	40.5	0.0	0.4	7.1	0.0
Rusk Cty	401	88.8	2.5	4.7	0.0	0.2	3.7	0.0
Sauk Cty	1,460	75.1	0.3	22.0	0.8	0.0	1.8	0.0
Sawyer Cty	381	69.0	1.3	6.3	18.4	0.3	4.7	0.0
Seeds	3,061	10.4	3.3	76.3	0.2	3.0	6.8	0.0
Shawano	822	78.1	0.6	10.6	3.8	0.0	6.9	0.0
Sheboygan	2,333	42.9	2.1	28.7	0.1	20.0	6.2	0.0
St. Croix Cty	1,153	83.2	0.7	9.7	0.2	1.6	4.6	0.0
SWCAP	1,207	81.5	0.4	14.8	0.3	0.2	2.7	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4F**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**

Page: 4  
Run Date: 5 / 29 / 12

**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Taylor Cty	440	85.9	0.5	10.0	0.2	0.0	3.4	0.0
Tremp	727	57.8	0.3	40.3	0.0	0.4	1.2	0.0
Vernon Cty	697	85.9	1.7	8.8	0.1	0.4	3.0	0.0
Vilas	252	92.9	0.8	5.2	0.4	0.0	0.8	0.0
Walworth Cty	1,918	46.8	1.4	48.0	0.2	0.3	3.3	0.0
Wash/Oz	1,734	74.5	3.1	16.6	0.1	0.8	5.0	0.0
Washburn Cty	431	82.8	0.5	10.9	0.7	0.5	4.6	0.0
Waukesha Cty	2,471	54.6	4.6	33.5	0.2	2.0	5.1	0.0
Waupaca Cty	841	85.1	0.1	13.9	0.2	0.0	0.6	0.0
Wee Care	8,144	3.9	84.1	3.6	0.2	5.0	3.3	0.0
West Allis	1,527	54.0	9.6	24.3	0.5	1.6	10.0	0.0
Winnebago	2,734	62.7	4.4	16.6	0.1	7.5	8.8	0.0
Wood Cty	1,584	77.8	0.8	12.3	0.3	4.0	4.9	0.0
Unknown Local Ag.	231	73.2	1.7	15.2	0.0	0.9	9.1	0.0
<b>Wisconsin</b>	<b>128,590</b>	<b>44.2</b>	<b>18.5</b>	<b>25.2</b>	<b>1.5</b>	<b>4.8</b>	<b>5.7</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>8,672,965</b>	<b>32.5</b>	<b>19.1</b>	<b>39.7</b>	<b>0.9</b>	<b>2.5</b>	<b>2.7</b>	<b>2.5</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5F**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 5  
Run Date: 5 / 29 / 12

<b>Comparison of Age Distribution</b>				
<b>Local Agency</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
16th Street	7,447	29.5	19.3	51.2
Aurora	3,428	38.9	17.5	43.6
Barron Cty	1,082	39.8	16.7	43.4
Bay Area	826	28.7	20.3	51.0
Buffalo	410	34.9	16.6	48.5
Burnett Cty	394	31.0	20.1	49.0
Calumet Cty	730	29.9	21.6	48.5
Chippewa	1,332	32.3	19.4	48.3
City Mad	7,453	36.1	19.1	44.8
Clark Cty	811	34.4	18.5	47.1
Columbia Cty	791	37.8	16.7	45.5
Cudahy	2,825	34.2	20.7	45.0
Dodge Cty	1,317	34.2	21.8	44.0
Door Cty	534	35.2	20.6	44.2
Dunn Cty	859	37.1	19.4	43.4
Eau Claire	2,279	35.1	17.7	47.2
Family Health	1,097	41.8	17.8	40.4
Family Plan	3,847	34.6	20.2	45.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5F**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 6  
Run Date: 5 / 29 / 12

<b>Comparison of Age Distribution</b>				
<b>Local Agency</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Florence Cty	99	*	*	*
Fond du Lac	2,052	32.6	21.2	46.3
Forest Cty	229	33.2	18.3	48.5
GLITC	1,286	27.8	22.2	50.1
Grant Cty	1,037	34.6	20.8	44.6
Green Cty	664	34.0	21.2	44.7
Health	3,592	39.0	17.0	44.1
Jackson	510	34.5	17.5	48.0
Jefferson Cty	1,709	33.2	18.8	48.0
Juneau	1,337	29.9	19.6	50.5
Kenosha Cty	4,405	32.8	21.4	45.8
Kewaunee Cty	347	34.6	17.9	47.6
La Crosse Cty	2,323	33.3	20.9	45.8
Marinette	930	31.3	21.8	46.9
Menominee	570	25.1	22.3	52.6
Mil. City	8,360	31.6	21.3	47.1
MLK	3,458	33.2	20.7	46.1
Monitowoc	1,562	35.4	18.8	45.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5F**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 7  
Run Date: 5 / 29 / 12

<b>Comparison of Age Distribution</b>				
<b>Local Agency</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Monroe Cty	1,079	33.0	17.9	49.1
NEW Comm	6,301	30.1	21.9	47.9
NHA	4,202	35.2	19.4	45.4
NWCSA	1,239	32.8	20.0	47.1
Oconto Cty	639	34.6	22.1	43.3
Oneida	585	31.5	23.9	44.6
Oneida Cty	598	39.3	19.1	41.6
Outagamie	2,618	33.4	23.0	43.6
Pierce Cty	690	32.8	18.7	48.6
Polk Cty	907	31.3	20.4	48.3
Portage Cty	1,219	38.7	18.4	42.9
Price Cty	419	28.6	20.0	51.3
Racine	1,613	35.3	17.2	47.5
Rusk Cty	401	29.9	21.9	48.1
Sauk Cty	1,460	38.3	17.8	43.9
Sawyer Cty	381	31.5	19.7	48.8
Seeds	3,061	29.7	18.4	51.9
Shawano	822	27.7	17.8	54.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5F**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 8  
Run Date: 5 / 29 / 12

<b>Comparison of Age Distribution</b>				
<b>Local Agency</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Sheboygan	2,333	29.2	22.8	48.0
St. Croix Cty	1,153	37.1	18.5	44.4
SWCAP	1,207	35.1	19.0	45.9
Taylor Cty	440	32.0	22.7	45.2
Trempealeau	727	36.6	16.6	46.8
Vernon Cty	697	33.1	17.6	49.2
Vilas	252	27.0	21.8	51.2
Walworth Cty	1,918	35.7	17.4	47.0
Wash/Oz	1,734	33.3	19.6	47.1
Washburn Cty	431	34.3	16.9	48.7
Waukesha Cty	2,471	40.5	17.4	42.1
Waupaca Cty	841	35.8	22.0	42.2
Wee Care	8,144	34.6	18.9	46.5
West Allis	1,527	36.2	19.6	44.2
Winnebago	2,734	38.4	19.2	42.4
Wood Cty	1,584	36.2	19.4	44.4
Unknown Local Ag.	231	39.4	20.8	39.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.





Table 5F  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 9  
Run Date: 5 / 29 / 12

<b>Comparison of Age Distribution</b>				
<b>Local Agency</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
<b>Wisconsin</b>	<b>128,590</b>	<b>33.9</b>	<b>19.7</b>	<b>46.4</b>
<b>Nation (Prior Year)</b>	<b>8,672,965</b>	<b>33.7</b>	<b>22.1</b>	<b>44.2</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Page: 10  
Run Date: 5 / 29 / 12

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature	Under- weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
16th Street	1,450	8.3 (37)	6.8 (18)	7,364	4.0 (8)	2.2 (36)	13.2 (59)	3,756	16.5 (29)	17.1 (60)	5,661	8.4 (46)
Aurora	795	13.3 (58)	5.3 (5)	3,382	6.6 (57)	3.1 (57)	9.8 (18)	1,477	13.7 (9)	10.1 (11)	2,364	29.7 (70)
Barron Cty	268	7.5 (27)	12.3 (54)	1,064	4.4 (13)	2.7 (45)	10.2 (21)	465	19.1 (53)	11.8 (22)	759	6.2 (28)
Bay Area	175	6.9 (20)	9.1 (42)	803	5.5 (34)	1.4 (12)	9.1 (10)	419	16.7 (32)	9.3 (8)	626	5.1 (19)
Buffalo	95	* *	* *	409	3.7 (5)	3.7 (59)	12.7 (51)	199	18.6 (47)	14.1 (38)	291	6.2 (28)
Burnett Cty	77	* *	* *	392	4.3 (12)	1.5 (13)	9.2 (11)	197	14.7 (13)	11.2 (15)	304	1.3 (2)
Calumet Cty	152	7.2 (23)	5.9 (10)	707	6.4 (52)	2.0 (28)	10.5 (25)	339	17.7 (39)	10.6 (12)	539	6.7 (32)
Chippewa	293	6.1 (9)	5.8 (9)	1,316	5.3 (29)	1.8 (23)	11.6 (40)	643	14.0 (11)	11.2 (15)	982	12.0 (61)
City Mad	1,743	8.8 (45)	9.6 (45)	7,344	5.7 (38)	1.6 (18)	10.7 (29)	3,318	16.2 (26)	12.4 (25)	5,272	9.5 (52)
Clark Cty	181	7.7 (30)	11.0 (51)	805	6.3 (49)	1.1 (5)	10.3 (23)	380	15.5 (21)	12.9 (31)	581	11.2 (59)
Columbia Cty	192	7.3 (25)	10.4 (49)	780	5.3 (29)	2.2 (36)	10.4 (24)	361	15.2 (15)	14.1 (38)	556	6.7 (32)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.  
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Page: 11  
Run Date: 5 / 29 / 12

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Cudahy	661	6.4 (13)	7.9 (29)	2,796	4.6 (18)	2.6 (43)	10.8 (31)	1,262	13.6 (8)	12.8 (28)	2,018	7.9 (40)
Dodge Cty	334	7.2 (23)	8.1 (31)	1,281	5.5 (34)	3.4 (58)	9.4 (12)	575	10.8 (4)	9.9 (10)	928	4.7 (16)
Door Cty	135	6.7 (16)	9.6 (45)	529	4.0 (8)	1.9 (27)	11.5 (39)	245	15.5 (21)	17.1 (60)	371	3.2 (10)
Dunn Cty	223	5.4 (4)	9.4 (44)	841	6.3 (49)	2.7 (45)	8.7 (8)	367	15.3 (17)	9.5 (9)	592	2.7 (6)
Eau Claire	537	7.4 (26)	8.6 (35)	2,251	7.1 (63)	1.8 (23)	11.4 (37)	1,052	17.8 (41)	13.1 (32)	1,629	11.0 (58)
Family Health	279	4.7 (3)	7.9 (29)	1,069	4.1 (10)	2.8 (50)	9.5 (14)	436	19.0 (52)	11.2 (15)	717	10.7 (57)
Family Plan	862	8.6 (43)	4.9 (3)	3,767	8.4 (68)	1.5 (13)	12.9 (56)	1,713	15.4 (19)	13.8 (35)	2,914	7.7 (38)
Florence Cty	21	* *	* *	99	* *	* *	* *	49	* *	* *	70	* *
Fond du Lac	470	8.7 (44)	6.8 (18)	2,007	4.6 (18)	4.0 (62)	7.7 (4)	933	11.4 (5)	8.4 (7)	1,494	5.4 (22)
Forest Cty	49	* *	* *	223	4.5 (17)	4.9 (65)	11.2 (33)	111	26.1 (68)	10.8 (13)	157	8.9 (50)
GLITC	240	5.4 (4)	14.6 (59)	1,263	2.8 (2)	2.7 (45)	22.3 (70)	628	19.9 (60)	24.7 (67)	965	12.4 (62)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.  
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Page: 12  
Run Date: 5 / 29 / 12

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature			Under- weight	Obese	≥ 2 Yrs Overweight and Obese			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Grant Cty	244	9.4 (51)	6.1 (14)	1,016	5.9 (43)	2.7 (45)	11.3 (36)	446	19.1 (53)	11.9 (23)	747	7.6 (36)
Green Cty	152	5.9 (7)	5.9 (10)	655	6.9 (60)	2.1 (30)	13.6 (60)	292	18.5 (46)	15.1 (47)	445	8.3 (45)
Health	892	9.9 (52)	5.9 (10)	3,539	6.0 (45)	2.9 (54)	10.6 (27)	1,564	16.5 (29)	14.3 (42)	2,584	7.8 (39)
Jackson	114	6.1 (9)	12.3 (54)	506	5.1 (26)	1.0 (2)	11.9 (41)	249	20.1 (62)	16.1 (57)	346	13.9 (66)
Jefferson Cty	372	8.1 (35)	8.6 (35)	1,684	4.9 (22)	2.8 (50)	11.2 (33)	808	16.8 (33)	16.0 (56)	1,253	5.2 (20)
Juneau	259	8.1 (35)	8.9 (40)	1,321	6.2 (47)	1.6 (18)	13.9 (62)	657	18.9 (51)	15.4 (49)	1,036	5.7 (24)
Kenosha Cty	1,005	7.8 (31)	6.1 (14)	4,313	6.9 (60)	1.6 (18)	12.1 (44)	1,988	17.5 (35)	14.8 (45)	3,139	9.7 (54)
Kewaunee Cty	80	* *	* *	341	5.9 (43)	0.9 (1)	14.1 (63)	161	19.9 (60)	14.3 (42)	256	10.2 (55)
La Crosse Cty	556	7.0 (21)	8.1 (31)	2,287	7.0 (62)	3.9 (61)	11.2 (33)	1,046	17.7 (39)	12.7 (27)	1,708	10.5 (56)
Marinette	194	6.7 (16)	9.8 (47)	906	4.4 (13)	7.0 (69)	10.5 (25)	418	5.0 (1)	7.7 (5)	679	2.8 (7)
Menominee	107	7.5 (27)	14.0 (58)	557	3.9 (7)	1.1 (5)	19.4 (67)	292	21.2 (64)	21.9 (66)	442	3.2 (10)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.  
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Page: 13  
Run Date: 5 / 29 / 12

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Mil. City	1,949	11.3 (55)	5.3 (5)	8,179	7.2 (65)	2.8 (50)	11.4 (37)	3,895	14.6 (12)	12.8 (28)	6,152	11.4 (60)
MLK	792	12.9 (57)	3.7 (2)	3,399	6.6 (57)	2.8 (50)	9.6 (15)	1,571	18.4 (44)	11.5 (19)	2,548	21.5 (69)
Monitowoc	363	5.5 (6)	8.8 (38)	1,535	6.2 (47)	2.5 (42)	12.0 (43)	700	19.3 (55)	15.7 (51)	1,095	6.6 (31)
Monroe Cty	228	8.8 (45)	8.8 (38)	1,067	8.4 (68)	1.0 (2)	14.7 (65)	526	15.2 (15)	15.0 (46)	787	3.7 (13)
NEW Comm	1,404	8.5 (41)	7.6 (27)	6,105	6.4 (52)	2.0 (28)	15.2 (66)	2,964	18.0 (42)	18.6 (64)	4,660	7.6 (36)
NHA	937	8.0 (34)	7.4 (26)	4,146	6.5 (55)	1.5 (13)	13.7 (61)	1,882	19.4 (57)	18.7 (65)	3,008	7.0 (35)
NWCSA	273	5.9 (7)	5.5 (7)	1,219	4.9 (22)	1.2 (9)	12.6 (48)	584	19.7 (58)	15.8 (54)	826	17.9 (68)
Oconto Cty	131	9.2 (49)	6.9 (20)	623	5.3 (29)	2.1 (30)	12.8 (54)	270	15.6 (23)	17.4 (62)	469	5.5 (23)
Oneida	155	4.5 (1)	9.0 (41)	566	6.4 (52)	1.1 (5)	20.3 (68)	254	31.9 (69)	33.5 (68)	404	2.0 (4)
Oneida Cty	152	7.9 (33)	5.9 (10)	594	4.9 (22)	2.7 (45)	5.4 (2)	252	17.5 (35)	6.0 (2)	412	3.2 (10)
Outagamie	668	9.3 (50)	5.1 (4)	2,532	5.1 (26)	5.5 (67)	9.6 (15)	1,150	16.3 (27)	12.5 (26)	1,613	8.2 (43)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.  
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Page: 14  
Run Date: 5 / 29 / 12

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature			Under- weight	Obese	≥ 2 Yrs Overweight and Obese			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Pierce Cty	133	8.3 (37)	12.8 (57)	681	6.5 (55)	2.1 (30)	12.6 (48)	331	14.8 (14)	14.2 (40)	520	8.5 (48)
Polk Cty	195	4.6 (2)	7.2 (25)	889	2.5 (1)	2.9 (54)	8.4 (7)	433	13.4 (7)	10.9 (14)	669	8.5 (48)
Portage Cty	278	6.8 (19)	7.6 (27)	1,200	5.8 (41)	3.0 (56)	9.8 (18)	518	13.9 (10)	11.6 (20)	880	5.0 (18)
Price Cty	64	* *	* *	411	6.1 (46)	2.2 (36)	12.9 (56)	212	16.0 (24)	14.2 (40)	340	2.1 (5)
Racine	348	8.9 (47)	5.5 (7)	1,560	5.3 (29)	7.4 (70)	8.1 (6)	739	8.5 (2)	5.3 (1)	1,164	12.8 (65)
Rusk Cty	87	* *	* *	398	5.5 (34)	3.8 (60)	10.6 (27)	191	22.5 (66)	15.2 (48)	300	1.7 (3)
Sauk Cty	351	6.3 (12)	12.0 (52)	1,438	4.7 (20)	1.5 (13)	12.1 (44)	632	18.4 (44)	15.5 (50)	1,034	3.1 (9)
Sawyer Cty	77	* *	* *	375	5.3 (29)	2.1 (30)	8.0 (5)	182	15.4 (19)	6.0 (2)	279	2.9 (8)
Seeds	565	10.3 (54)	9.2 (43)	3,018	4.4 (13)	1.0 (2)	14.1 (63)	1,569	19.3 (55)	16.3 (59)	2,338	12.5 (64)
Shawano	170	7.1 (22)	10.0 (48)	804	4.2 (11)	1.1 (5)	10.7 (29)	438	17.6 (38)	11.6 (20)	635	7.9 (40)
Sheboygan	512	10.0 (53)	6.6 (17)	2,274	6.3 (49)	5.9 (68)	12.2 (46)	1,116	16.9 (34)	16.2 (58)	1,735	4.7 (16)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.  
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Page: 15  
Run Date: 5 / 29 / 12

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature			Under-weight	Obese	≥ 2 Yrs Overweight and Obese			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
St. Croix Cty	274	8.4 (40)	12.4 (56)	1,140	4.8 (21)	2.1 (30)	8.8 (9)	510	18.6 (47)	11.4 (18)	819	6.0 (27)
SWCAP	263	11.4 (56)	12.2 (53)	1,180	6.6 (57)	1.8 (23)	12.8 (54)	541	22.4 (65)	17.9 (63)	867	8.2 (43)
Taylor Cty	91	* *	* *	433	5.5 (34)	1.8 (23)	10.2 (21)	197	19.8 (59)	15.7 (51)	327	5.8 (26)
Tremp	165	8.5 (41)	6.1 (14)	719	3.6 (4)	2.2 (36)	12.7 (51)	337	16.0 (24)	15.7 (51)	514	9.1 (51)
Vernon Cty	151	6.6 (15)	10.6 (50)	691	5.8 (41)	2.3 (40)	11.0 (32)	332	17.5 (35)	13.9 (36)	491	5.7 (24)
Vilas	45	* *	* *	245	4.9 (22)	1.2 (9)	9.4 (12)	126	18.3 (43)	7.9 (6)	183	0.5 (1)
Walworth Cty	421	6.2 (11)	8.6 (35)	1,882	5.7 (38)	2.3 (40)	13.0 (58)	888	12.3 (6)	15.8 (54)	1,437	9.5 (52)
Wash/Oz	384	6.5 (14)	7.0 (21)	1,713	5.7 (38)	4.7 (64)	7.5 (3)	810	10.1 (3)	6.8 (4)	1,270	6.9 (34)
Washburn Cty	96	* *	* *	426	13.1 (70)	1.2 (9)	21.4 (69)	206	25.7 (67)	34.0 (69)	307	3.9 (14)
Waukesha Cty	614	9.0 (48)	7.0 (21)	2,422	7.4 (66)	2.1 (30)	12.7 (51)	1,018	16.3 (27)	13.9 (36)	1,577	4.1 (15)
Waupaca Cty	206	8.3 (37)	8.3 (33)	822	5.1 (26)	2.6 (43)	11.9 (41)	360	18.6 (47)	11.9 (23)	588	5.3 (21)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Page: 16  
Run Date: 5 / 29 / 12

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low		High	Short Stature		Under- weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Wee Care	1,891	13.4 (59)	3.2 (1)	8,029	7.6 (67)	1.5 (13)	12.6 (48)	3,729	16.6 (31)	13.2 (33)	5,864	16.2 (67)
West Allis	374	6.7 (16)	7.0 (21)	1,508	4.4 (13)	1.7 (22)	9.9 (20)	658	20.7 (63)	14.3 (42)	1,052	12.4 (62)
Winnebago	681	7.8 (31)	7.0 (21)	2,696	7.1 (63)	1.6 (18)	12.5 (47)	1,148	18.6 (47)	12.8 (28)	1,911	8.4 (46)
Wood Cty	387	7.5 (27)	8.3 (33)	1,564	3.8 (6)	4.0 (62)	9.6 (15)	685	15.3 (17)	13.7 (34)	1,093	6.3 (30)
Unknown Local Ag.	80	* *	* *	229	3.5 (3)	5.2 (66)	5.2 (1)	85	* *	* *	148	8.1 (42)
Wisconsin	29,162	8.8	7.2	126,329	5.9	2.4	11.8	58,885	16.6	14.0	92,741	9.5
Nation (Prior Year)	1,851,546	9.0	6.3	8,057,124	6.3	3.6	12.4	3,572,939	16.1	14.4	5,391,027	14.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7F**  
**2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 17  
Run Date: 5 / 29 / 12

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
16th Street	1,450	84.8 (2)	715	37.5 (3)	1,132	22.7 (3)	551	14.7 (29)	715	8.7 (21)	4,110	81.3 (53)	7,424	3.5 (8)
Aurora	796	51.9 (58)	377	9.8 (39)	509	5.9 (47)	253	9.9 (34)	377	2.1 (39)	1,589	81.7 (52)	3,414	9.8 (62)
Barron Cty	272	72.8 (32)	138	27.5 (18)	161	9.9 (37)	112	17.9 (23)	138	7.2 (28)	494	84.4 (41)	1,071	4.4 (17)
Bay Area	177	76.8 (18)	91	* *	116	30.2 (1)	70	* *	91	* *	450	93.3 (5)	818	5.0 (22)
Buffalo	95	* *	33	* *	49	* *	20	* *	33	* *	213	94.4 (2)	410	5.1 (26)
Burnett Cty	77	* *	48	* *	45	* *	34	* *	48	* *	200	91.5 (8)	391	11.5 (65)
Calumet Cty	155	71.6 (36)	66	* *	98	* *	53	* *	65	* *	378	86.2 (32)	727	5.4 (29)
Chippewa	290	80.0 (10)	144	34.7 (5)	186	11.8 (25)	119	30.3 (5)	144	11.8 (11)	686	85.4 (36)	1,332	6.2 (41)
City Mad	1,744	79.8 (12)	806	43.1 (1)	1,001	22.6 (4)	644	21.3 (16)	802	10.7 (14)	3,532	85.2 (38)	7,409	3.5 (8)
Clark Cty	181	82.3 (6)	75	* *	106	16.0 (9)	60	* *	75	* *	411	88.8 (16)	809	5.4 (29)
Columbia Cty	192	77.6 (16)	89	* *	99	* *	80	* *	89	* *	373	77.2 (62)	789	7.5 (51)
Cudahy	665	65.4 (47)	295	24.4 (25)	451	12.4 (23)	209	17.7 (24)	295	8.5 (22)	1,352	74.4 (66)	2,816	5.9 (38)
Dodge Cty	338	79.9 (11)	148	42.6 (2)	207	23.2 (2)	123	30.1 (6)	146	15.1 (4)	623	88.8 (16)	1,308	4.0 (14)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 18  
Run Date: 5 / 29 / 12

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
	Breastfeeding (6)						Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)	Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Door Cty	135	68.9 (42)	55	* *	70	* *	53	* *	55	* *	268	79.9 (55)
Dunn Cty	225	75.6 (21)	75	* *	105	16.2 (8)	65	* *	75	* *	392	89.0 (14)
Eau Claire	537	74.1 (26)	244	30.3 (14)	312	11.9 (24)	182	34.6 (2)	244	11.1 (12)	2,277	3.7 (10)
Family Health	285	73.3 (29)	115	22.6 (28)	165	9.7 (38)	106	17.0 (26)	115	6.1 (33)	474	87.6 (27)
Family Plan	864	59.4 (56)	434	19.1 (34)	460	9.1 (42)	285	14.7 (29)	434	7.6 (25)	1,870	81.9 (51)
Florence Cty	21	* *	6	* *	10	* *	4	* *	6	* *	51	* *
Fond du Lac	470	74.7 (23)	200	34.0 (6)	282	16.0 (9)	175	35.4 (1)	200	15.5 (2)	1,009	88.1 (25)
Forest Cty	47	* *	22	* *	37	* *	18	* *	22	* *	116	92.2 (6)
GLITC	240	65.8 (46)	116	14.7 (36)	193	5.7 (48)	76	* *	116	6.9 (29)	663	84.3 (43)
Grant Cty	246	68.3 (43)	99	* *	155	18.1 (5)	79	* *	98	* *	492	88.2 (23)
Green Cty	151	78.8 (13)	68	* *	116	13.8 (18)	63	* *	68	* *	308	89.3 (11)
Health	889	66.1 (44)	380	21.8 (30)	427	11.2 (34)	280	12.5 (32)	379	6.6 (30)	1,677	88.1 (25)
Jackson	113	74.3 (25)	47	* *	70	* *	33	* *	47	* *	264	89.0 (14)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 19  
Run Date: 5 / 29 / 12

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Jefferson Cty	373	75.9 (20)	164	31.1 (13)	234	14.5 (15)	137	22.6 (15)	164	8.5 (22)	876	88.6 (20)	1,705	5.7 (34)
Juneau	259	78.8 (13)	126	23.8 (27)	170	9.4 (41)	91	* *	126	11.1 (12)	721	77.8 (60)	1,333	17.0 (69)
Kenosha Cty	1,001	63.3 (52)	406	24.6 (23)	693	10.2 (36)	303	21.1 (17)	400	9.0 (19)	2,133	82.0 (50)	4,361	5.7 (34)
Kewaunee Cty	80	* *	36	* *	40	* *	25	* *	36	* *	176	69.9 (69)	347	3.7 (10)
La Crosse Cty	555	66.1 (44)	261	22.2 (29)	333	12.9 (21)	191	23.0 (13)	260	12.7 (8)	1,131	89.2 (13)	2,322	2.7 (4)
Marinette	195	65.1 (48)	95	* *	158	7.0 (45)	62	* *	95	* *	462	85.3 (37)	923	7.9 (56)
Menominee	107	72.0 (34)	53	* *	94	* *	42	* *	53	* *	316	91.8 (7)	570	5.4 (29)
Mil. City	1,960	63.7 (51)	784	19.3 (33)	1,121	9.5 (40)	538	16.4 (27)	784	6.5 (31)	4,213	76.7 (63)	8,344	8.6 (59)
MLK	793	49.4 (59)	345	10.4 (38)	476	4.8 (49)	228	11.0 (33)	345	3.2 (38)	1,704	75.8 (65)	3,446	17.7 (70)
Monitowoc	360	58.3 (57)	157	25.5 (19)	230	11.7 (27)	100	24.0 (12)	157	13.4 (6)	747	79.8 (56)	1,547	6.3 (43)
Monroe Cty	230	69.1 (40)	103	24.3 (26)	134	9.0 (43)	77	* *	103	12.6 (9)	559	84.8 (40)	1,069	7.5 (51)
NEW Comm	1,424	73.5 (28)	607	25.0 (22)	941	12.6 (22)	443	19.4 (20)	603	7.6 (25)	3,166	77.7 (61)	6,252	6.4 (45)
NHA	943	62.9 (53)	439	18.5 (35)	638	11.8 (25)	287	12.9 (31)	438	4.8 (36)	2,015	79.3 (57)	4,176	5.1 (26)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 20  
Run Date: 5 / 29 / 12

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)										
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
<b>Local Agency</b>	Number	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number %  (Rank)		Number %  (Rank)	
NWCSA	276	73.2 (30)	111 27.9 (17)	188 13.3 (19)	102 29.4 (7)	111 15.3 (3)	626 78.3 (59)		1,229 5.0 (22)	
Oconto Cty	131	59.5 (55)	75 * *	93 * *	55 * *	75 * *	308 71.4 (68)		637 10.4 (64)	
Oneida	152	64.5 (50)	63 * *	92 * *	39 * *	62 * *	279 88.2 (23)		582 9.1 (60)	
Oneida Cty	152	69.1 (40)	55 * *	89 * *	48 * *	55 * *	265 86.0 (33)		598 7.0 (48)	
Outagamie	673	70.0 (38)	305 32.1 (9)	413 13.3 (19)	242 22.7 (14)	305 9.2 (17)	1,081 84.4 (41)		2,602 3.9 (13)	
Pierce Cty	133	83.5 (3)	68 * *	101 10.9 (35)	49 * *	68 * *	357 97.8 (1)		681 3.2 (6)	
Polk Cty	191	82.2 (7)	89 * *	120 11.7 (27)	73 * *	88 * *	459 83.4 (46)		903 5.6 (32)	
Portage Cty	277	74.7 (23)	139 28.1 (16)	153 15.0 (12)	123 25.2 (11)	139 10.1 (15)	557 89.8 (9)		1,212 1.9 (1)	
Price Cty	64	* *	31 * *	54 * *	20 * *	31 * *	235 88.5 (21)		419 5.3 (28)	
Racine	349	69.9 (39)	146 20.5 (31)	192 7.8 (44)	94 * *	144 4.9 (35)	807 76.6 (64)		1,600 13.4 (67)	
Rusk Cty	87	* *	32 * *	61 * *	30 * *	32 * *	208 86.5 (31)		401 9.7 (61)	
Sauk Cty	354	83.3 (4)	167 32.9 (8)	187 17.1 (6)	157 31.2 (4)	167 12.6 (9)	681 87.1 (29)		1,456 6.3 (43)	
Sawyer Cty	77	* *	35 * *	44 * *	30 * *	35 * *	200 93.5 (4)		381 10.0 (63)	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 21  
Run Date: 5 / 29 / 12

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)										
	<b>Breastfeeding</b> (6)				<b>Exclusive Breastfeeding</b> (7)				<b>≤2 Hours TV Viewing/Day</b> (8)	<b>Smoking in Household</b>
<b>Local Agency</b>	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Seeds	560	75.4 (22)	303	31.7 (12)	472	14.6 (13)	225	16.4 (27)	303	5.9 (34)
Shawano	170	71.8 (35)	67	* *	106	11.3 (33)	47	* *	67	* *
Sheboygan	511	72.8 (32)	250	20.4 (32)	384	11.7 (27)	173	18.5 (22)	250	8.8 (20)
St. Croix Cty	275	85.5 (1)	126	35.7 (4)	158	14.6 (13)	109	32.1 (3)	125	21.6 (1)
SWCAP	263	76.4 (19)	113	29.2 (15)	157	14.0 (17)	103	19.4 (20)	113	6.2 (32)
Taylor Cty	91	* *	48	* *	67	* *	33	* *	48	* *
Trempealeau	164	80.5 (8)	69	* *	85	* *	60	* *	69	* *
Vernon Cty	151	80.1 (9)	58	* *	97	* *	51	* *	58	* *
Vilas	44	* *	24	* *	43	* *	17	* *	24	* *
Walworth Cty	425	83.3 (4)	216	33.8 (7)	261	14.2 (16)	193	25.9 (8)	216	7.4 (27)
Wash/Oz	382	78.8 (13)	172	32.0 (11)	225	15.6 (11)	167	25.7 (9)	172	13.4 (6)
Washburn Cty	96	* *	41	* *	49	* *	39	* *	41	* *
Waukesha Cty	624	73.9 (27)	302	32.1 (9)	304	17.1 (6)	235	17.4 (25)	302	7.9 (24)
	1,106	85.6 (35)	2,449	5.8 (36)						

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 22  
Run Date: 5 / 29 / 12

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)									
	<b>Breastfeeding</b> (6)			<b>Exclusive Breastfeeding</b> (7)			<b>≤2 Hours TV Viewing/Day</b> (8)	<b>Smoking in Household</b>	
<b>Local Agency</b>	Number	% Ever Breastfed	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)	Number % (Rank)	Number % (Rank)
Waupaca Cty	207	64.7 (49)	81 * *	121 11.6 (30)	72 * *	81 * *	392 84.9 (39)	838	6.2 (41)
Wee Care	1,886	62.8 (54)	727 13.9 (37)	1,132 6.2 (46)	535 8.6 (35)	727 3.9 (37)	4,049 79.3 (57)	8,118	7.6 (54)
West Allis	375	77.3 (17)	146 25.3 (20)	226 9.7 (38)	137 20.4 (18)	146 9.6 (16)	715 84.3 (43)	1,523	8.5 (58)
Winnebago	682	73.2 (30)	317 24.6 (23)	376 11.4 (32)	248 20.2 (19)	317 9.1 (18)	1,243 83.1 (48)	2,730	3.7 (10)
Wood Cty	387	70.8 (37)	162 25.3 (20)	218 11.5 (31)	136 25.7 (9)	162 13.6 (5)	742 86.0 (33)	1,579	6.0 (39)
Unknown Local Ag.	81	* *	25 * *	31 * *	22 * *	25 * *	92 * *	227	4.4 (17)
<b>Wisconsin</b>	<b>29,225</b>	<b>70.6</b>	<b>13,025 26.4</b>	<b>18,123 13.0</b>	<b>9,935 20.7</b>	<b>12,999 9.0</b>	<b>63,376 83.0</b>	<b>127,997</b>	<b>6.3</b>
<b>Nation (Prior Year)</b>	<b>1,689,615</b>	<b>63.2</b>	<b>908,604 25.1</b>	<b>1,069,942 16.9</b>	<b>363,039 10.7</b>	<b>466,279 6.1</b>	<b>1,200,700 79.2</b>	<b>4,203,554</b>	<b>9.4</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2009 - 2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Page: 23  
Run Date: 5 / 29 / 12

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature		Under- weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
16th Street	4,420	7.3 (26)	8.1 (31)	22,155	5.4 (28)	1.4 (5)	15.1 (67)	11,188	18.8 (56)	19.6 (66)	17,166	9.8 (49)
Aurora	3,790	11.7 (67)	3.9 (2)	11,606	6.1 (45)	5.0 (67)	9.1 (8)	4,402	14.5 (8)	10.0 (9)	6,969	30.9 (71)
Barron Cty	806	6.6 (6)	9.6 (54)	3,337	4.6 (15)	2.4 (34)	11.2 (32)	1,453	17.8 (48)	14.2 (46)	2,402	7.7 (37)
Bay Area	531	7.0 (14)	9.0 (47)	2,562	5.9 (36)	2.2 (30)	10.3 (21)	1,309	17.0 (39)	11.3 (16)	2,011	6.7 (32)
Buffalo	282	7.4 (29)	9.2 (50)	1,294	3.7 (7)	2.7 (45)	10.4 (23)	608	16.8 (36)	12.8 (27)	946	8.0 (40)
Burnett Cty	257	8.2 (49)	7.8 (28)	1,215	5.4 (28)	1.9 (22)	8.1 (3)	590	14.9 (13)	9.2 (5)	934	2.2 (2)
Calumet Cty	452	7.1 (17)	6.9 (16)	2,086	6.8 (64)	2.4 (34)	10.0 (17)	990	17.4 (46)	12.0 (19)	1,593	5.6 (24)
Chippewa	913	7.3 (26)	6.7 (11)	4,083	6.2 (51)	1.9 (22)	10.9 (29)	1,952	16.3 (25)	11.1 (13)	3,090	10.9 (56)
City Mad	5,353	7.7 (37)	9.0 (47)	22,563	5.6 (32)	1.7 (15)	11.6 (37)	10,160	15.9 (21)	13.0 (31)	16,442	10.5 (54)
Clark Cty	517	7.4 (29)	9.5 (52)	2,411	5.5 (31)	1.7 (15)	10.6 (24)	1,146	15.2 (16)	13.2 (33)	1,781	12.2 (63)
Columbia Cty	576	7.1 (17)	9.5 (52)	2,489	6.2 (51)	2.2 (30)	9.5 (14)	1,116	16.5 (29)	12.5 (24)	1,805	7.8 (39)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2009 - 2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Page: 24  
Run Date: 5 / 29 / 12

Comparison of Growth and Anemia Indicators (3,4)											
Local Agency	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number % (Rank)
Cudahy	2,166	7.9 (41)	8.4 (38)	8,438	5.3 (26)	2.9 (51)	10.6 (24)	3,671	14.9 (13)	12.4 (21)	6,104 12.0 (62)
Dodge Cty	980	7.2 (19)	8.0 (29)	4,033	5.9 (36)	3.5 (62)	10.3 (21)	1,834	10.4 (2)	9.2 (5)	2,962 5.2 (20)
Door Cty	367	7.9 (41)	8.4 (38)	1,546	3.6 (6)	2.7 (45)	9.2 (10)	708	17.1 (42)	13.4 (36)	1,120 4.2 (13)
Dunn Cty	638	6.7 (8)	9.9 (57)	2,644	6.3 (53)	2.7 (45)	10.7 (26)	1,217	16.7 (32)	11.7 (17)	1,915 3.1 (8)
Eau Claire	1,619	7.0 (14)	8.9 (46)	7,060	6.7 (60)	2.2 (30)	11.7 (39)	3,248	17.1 (42)	13.4 (36)	5,198 12.3 (64)
Family Health	801	6.9 (12)	7.7 (25)	3,168	4.9 (17)	2.6 (43)	12.1 (44)	1,330	18.1 (52)	13.2 (33)	2,197 8.9 (45)
Family Plan	2,701	7.3 (26)	5.8 (6)	11,392	8.1 (70)	1.5 (9)	13.1 (55)	5,179	16.3 (25)	13.7 (39)	8,730 9.5 (48)
Florence Cty	72	* *	* *	316	6.0 (43)	3.2 (58)	11.4 (35)	147	14.3 (6)	13.6 (38)	220 5.9 (25)
Fond du Lac	1,413	9.8 (64)	7.1 (17)	6,104	6.1 (45)	3.0 (54)	8.7 (4)	2,873	12.8 (4)	9.6 (8)	4,616 6.5 (29)
Forest Cty	152	6.6 (6)	9.9 (57)	686	2.8 (1)	3.2 (58)	13.6 (61)	340	17.1 (42)	15.9 (54)	498 8.8 (44)
GLITC	794	4.3 (1)	13.4 (68)	3,912	3.4 (2)	3.3 (60)	22.2 (70)	2,001	20.1 (63)	24.6 (69)	2,956 11.9 (61)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.  
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 6F**  
**2009 - 2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Page: 25  
Run Date: 5 / 29 / 12

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Grant Cty	736	8.0 (44)	8.3 (35)	3,353	5.8 (35)	2.7 (45)	10.7 (26)	1,531	16.7 (32)	11.2 (14)	2,535	5.4 (22)
Green Cty	462	7.6 (34)	6.1 (7)	1,956	7.0 (65)	1.5 (9)	14.5 (64)	877	19.6 (61)	16.6 (61)	1,366	9.9 (51)
Health	2,754	9.1 (56)	6.2 (9)	10,845	6.7 (60)	2.4 (34)	12.5 (48)	4,691	16.7 (32)	14.1 (45)	7,969	7.5 (36)
Jackson	354	5.4 (3)	10.5 (65)	1,654	6.1 (45)	1.3 (3)	11.9 (42)	809	19.9 (62)	14.2 (46)	1,162	10.2 (52)
Jefferson Cty	1,196	6.7 (8)	9.3 (51)	5,285	4.5 (13)	2.5 (39)	10.7 (26)	2,435	18.0 (50)	14.8 (49)	3,938	4.9 (19)
Juneau	807	7.8 (38)	10.4 (64)	4,045	6.4 (55)	1.6 (14)	13.2 (59)	2,013	18.6 (54)	13.9 (42)	3,144	5.9 (25)
Kenosha Cty	3,214	8.2 (49)	6.8 (14)	13,090	7.5 (69)	1.7 (15)	12.6 (49)	5,727	16.7 (32)	13.9 (42)	9,366	10.5 (54)
Kewaunee Cty	232	7.8 (38)	7.3 (19)	1,039	4.9 (17)	1.1 (1)	14.6 (66)	492	21.3 (67)	16.3 (59)	789	11.3 (58)
La Crosse Cty	1,730	7.2 (19)	8.6 (42)	7,066	6.6 (57)	3.8 (65)	11.2 (32)	3,260	17.8 (48)	12.9 (30)	5,260	8.2 (42)
Marinette	626	8.3 (51)	8.8 (45)	2,966	4.3 (11)	7.5 (71)	8.8 (5)	1,455	7.4 (1)	5.6 (1)	2,254	3.0 (7)
Menominee	330	5.8 (4)	14.5 (69)	1,660	3.5 (4)	1.1 (1)	19.6 (69)	852	23.7 (69)	20.4 (67)	1,305	3.1 (8)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.  
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2009 - 2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 26  
Run Date: 5 / 29 / 12

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature			Under-weight	Obese	≥ 2 Yrs Overweight and Obese			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Mil. City	5,696	10.9 (66)	5.3 (5)	25,058	6.7 (60)	3.1 (56)	11.6 (37)	11,907	15.6 (18)	12.8 (27)	19,250	13.9 (66)
MLK	2,199	14.4 (69)	4.2 (3)	9,571	6.6 (57)	3.6 (63)	10.1 (19)	4,519	14.7 (11)	10.4 (11)	7,284	21.4 (70)
Monitowoc	1,069	7.4 (29)	8.1 (31)	4,867	5.6 (32)	2.5 (39)	13.1 (55)	2,275	18.1 (52)	17.6 (65)	3,579	6.6 (30)
Monroe Cty	719	7.2 (19)	8.6 (42)	3,279	7.2 (66)	1.3 (3)	14.5 (64)	1,512	16.1 (23)	15.6 (53)	2,407	4.4 (15)
NEW Comm	4,275	7.6 (34)	7.6 (24)	18,527	5.9 (36)	2.4 (34)	13.8 (62)	8,863	16.9 (38)	16.2 (57)	14,184	6.9 (33)
NHA	3,025	9.1 (56)	6.8 (14)	12,603	6.0 (43)	1.7 (15)	13.1 (55)	5,603	18.9 (57)	16.7 (62)	9,061	7.7 (37)
NWCSA	828	7.4 (29)	8.3 (35)	3,746	5.1 (21)	1.5 (9)	12.7 (50)	1,703	20.1 (63)	15.9 (54)	2,592	15.6 (68)
Oconto Cty	466	6.9 (12)	8.6 (42)	1,971	4.2 (10)	1.5 (9)	13.2 (59)	851	17.3 (45)	17.3 (64)	1,433	6.2 (28)
Oneida	459	5.0 (2)	10.0 (60)	1,742	7.2 (66)	1.4 (5)	23.5 (71)	789	26.7 (70)	40.3 (70)	1,252	2.5 (3)
Oneida Cty	454	9.3 (60)	7.7 (25)	1,785	5.9 (36)	3.0 (54)	6.7 (2)	738	14.5 (8)	8.8 (3)	1,243	2.6 (4)
Outagamie	2,030	8.5 (53)	6.1 (7)	7,783	4.6 (15)	5.1 (68)	10.0 (17)	3,536	17.5 (47)	12.7 (26)	5,130	7.1 (35)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.  
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2009 - 2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 27  
Run Date: 5 / 29 / 12

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature			Under-weight	Obese	≥ 2 Yrs Overweight and Obese			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Pierce Cty	451	8.0 (44)	10.2 (61)	2,126	6.1 (45)	1.9 (22)	12.4 (47)	1,023	15.8 (19)	13.3 (35)	1,619	11.4 (59)
Polk Cty	656	7.2 (19)	9.9 (57)	2,938	3.4 (2)	2.8 (49)	8.8 (5)	1,387	14.3 (6)	10.5 (12)	2,217	8.2 (42)
Portage Cty	914	8.1 (47)	7.7 (25)	3,654	5.9 (36)	2.6 (43)	9.2 (10)	1,545	14.6 (10)	10.0 (9)	2,641	3.8 (11)
Price Cty	236	7.2 (19)	7.2 (18)	1,358	4.9 (17)	2.4 (34)	11.9 (42)	687	16.6 (31)	13.0 (31)	1,096	2.6 (4)
Racine	1,128	9.1 (56)	4.8 (4)	5,050	5.1 (21)	4.1 (66)	9.1 (8)	2,356	12.1 (3)	8.9 (4)	3,863	14.9 (67)
Rusk Cty	268	9.3 (60)	11.6 (67)	1,209	5.3 (26)	3.7 (64)	11.7 (39)	561	22.5 (68)	15.0 (52)	901	4.7 (18)
Sauk Cty	1,051	5.9 (5)	10.2 (61)	4,243	5.2 (24)	1.4 (5)	12.8 (53)	1,822	18.7 (55)	16.3 (59)	3,067	2.8 (6)
Sawyer Cty	249	7.2 (19)	9.6 (54)	1,242	4.1 (9)	2.5 (39)	8.8 (5)	601	16.0 (22)	9.3 (7)	952	4.1 (12)
Seeds	1,885	8.5 (53)	8.3 (35)	9,532	3.9 (8)	1.7 (15)	13.1 (55)	4,861	18.9 (57)	16.0 (56)	7,439	13.4 (65)
Shawano	525	9.9 (65)	6.7 (11)	2,487	5.4 (28)	1.4 (5)	11.4 (35)	1,312	15.8 (19)	12.3 (20)	1,975	6.9 (33)
Sheboygan	1,665	8.3 (51)	8.1 (31)	7,175	6.3 (53)	5.5 (70)	11.7 (39)	3,478	17.0 (39)	14.8 (49)	5,442	4.3 (14)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2009 - 2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 28  
Run Date: 5 / 29 / 12

Comparison of Growth and Anemia Indicators (3,4)											
Local Agency	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number % (Rank)
St. Croix Cty	823	6.8 (10)	10.2 (61)	3,552	5.2 (24)	2.0 (25)	9.5 (14)	1,623	18.0 (50)	12.4 (21)	2,584 5.9 (25)
SWCAP	838	7.8 (38)	11.1 (66)	3,841	6.5 (56)	1.5 (9)	12.7 (50)	1,756	20.4 (65)	16.2 (57)	2,859 9.8 (49)
Taylor Cty	314	8.0 (44)	8.0 (29)	1,351	5.0 (20)	2.9 (51)	9.3 (12)	615	19.3 (59)	13.7 (39)	1,011 3.4 (10)
Tremp	515	7.6 (34)	6.6 (10)	2,202	4.4 (12)	2.0 (25)	14.2 (63)	977	16.4 (27)	17.2 (63)	1,555 10.9 (56)
Vernon Cty	458	7.0 (14)	8.5 (40)	2,192	5.9 (36)	2.0 (25)	11.2 (32)	1,033	17.0 (39)	13.9 (42)	1,592 5.3 (21)
Vilas	165	9.7 (63)	9.7 (56)	835	6.1 (45)	2.5 (39)	11.0 (30)	418	15.1 (15)	11.7 (17)	613 1.6 (1)
Walworth Cty	1,374	7.2 (19)	7.4 (22)	6,206	5.9 (36)	2.0 (25)	12.7 (50)	2,893	14.7 (11)	14.9 (51)	4,709 10.2 (52)
Wash/Oz	1,388	6.8 (10)	7.3 (19)	5,933	6.1 (45)	3.1 (56)	9.3 (12)	2,690	13.3 (5)	8.4 (2)	4,393 9.0 (46)
Washburn Cty	278	7.9 (41)	9.0 (47)	1,290	9.7 (71)	2.9 (51)	17.1 (68)	618	21.0 (66)	23.6 (68)	954 4.5 (16)
Waukesha Cty	1,908	9.6 (62)	7.3 (19)	7,371	6.6 (57)	2.3 (33)	12.9 (54)	3,034	16.2 (24)	13.8 (41)	4,825 5.5 (23)
Waupaca Cty	668	8.8 (55)	8.2 (34)	2,585	5.6 (32)	2.8 (49)	11.1 (31)	1,069	16.5 (29)	11.2 (14)	1,840 4.5 (16)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2009 - 2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Page: 29  
Run Date: 5 / 29 / 12

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Wee Care	5,725	12.9 (68)	3.7 (1)	25,074	7.4 (68)	1.8 (20)	12.2 (45)	11,395	16.4 (27)	12.4 (21)	18,450	18.3 (69)
West Allis	1,134	8.1 (47)	7.4 (22)	4,490	4.5 (13)	2.1 (29)	9.9 (16)	1,944	19.4 (60)	14.2 (46)	3,173	11.5 (60)
Winnebago	2,147	9.1 (56)	6.7 (11)	8,346	6.7 (60)	1.8 (20)	12.3 (46)	3,499	16.8 (36)	12.8 (27)	5,887	9.4 (47)
Wood Cty	1,124	7.5 (33)	8.5 (40)	4,566	5.1 (21)	3.4 (61)	10.2 (20)	1,958	15.2 (16)	12.6 (25)	3,231	6.6 (30)
Unknown Local Ag.	80	* *	* *	229	3.5 (4)	5.2 (69)	5.2 (1)	85	* *	* *	148	8.1 (41)
Wisconsin	91,228	8.6	7.3	390,068	6.0	2.5	12.0	179,140	16.7	13.9	287,194	10.2

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.  
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2009 - 2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 30  
Run Date: 5 / 29 / 12

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
16th Street	4,770	84.0 (1)	3,599	36.4 (3)	3,913	23.4 (2)	3,382	13.1 (56)	3,536	8.0 (40)	12,249	81.0 (56)	11,324	4.1 (8)
Aurora	3,380	40.6 (70)	2,239	10.1 (69)	2,247	4.6 (69)	2,080	5.2 (69)	2,208	2.6 (69)	4,702	80.4 (59)	6,279	11.7 (65)
Barron Cty	888	71.8 (35)	594	23.1 (32)	583	9.1 (59)	594	17.7 (27)	588	5.4 (59)	1,566	84.3 (37)	1,923	5.5 (18)
Bay Area	558	73.8 (29)	408	36.5 (2)	441	25.2 (1)	400	34.3 (1)	403	22.1 (1)	1,420	90.8 (6)	1,374	5.4 (17)
Buffalo	305	75.4 (21)	196	19.9 (51)	213	10.8 (50)	190	21.6 (20)	191	12.0 (13)	642	93.6 (2)	729	6.9 (40)
Burnett Cty	273	71.4 (37)	213	22.1 (36)	206	7.3 (63)	199	25.1 (10)	212	7.5 (45)	609	93.6 (2)	649	10.3 (59)
Calumet Cty	513	72.5 (34)	353	28.6 (14)	374	13.9 (13)	342	22.8 (14)	346	11.8 (14)	1,086	81.6 (54)	1,189	6.4 (31)
Chippewa	977	74.8 (27)	680	22.1 (36)	730	9.3 (58)	635	21.6 (20)	658	9.3 (28)	2,099	85.5 (33)	2,253	6.1 (27)
City Mad	5,872	80.1 (8)	3,967	37.3 (1)	3,904	22.6 (3)	3,878	17.2 (34)	3,901	9.5 (25)	10,886	84.1 (40)	12,862	4.2 (9)
Clark Cty	560	79.3 (11)	381	29.1 (11)	393	13.0 (21)	366	17.5 (30)	376	9.8 (23)	1,252	87.9 (20)	1,305	6.1 (27)
Columbia Cty	638	76.2 (18)	437	21.1 (46)	407	12.8 (23)	412	14.8 (45)	427	7.3 (47)	1,175	81.8 (51)	1,439	7.3 (43)
Cudahy	2,347	66.0 (53)	1,538	21.5 (44)	1,572	10.6 (51)	1,482	11.4 (60)	1,501	6.0 (57)	3,953	73.7 (66)	4,908	10.2 (58)
Dodge Cty	1,046	80.6 (6)	705	33.3 (6)	714	18.5 (5)	707	25.9 (6)	697	13.5 (9)	1,971	90.8 (6)	2,312	5.1 (16)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2009 - 2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 31  
Run Date: 5 / 29 / 12

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Door Cty	399	71.2 (41)	265	27.5 (17)	276	12.7 (24)	260	26.5 (5)	264	6.8 (55)	765	81.8 (51)	860	4.4 (10)
Dunn Cty	683	69.3 (47)	431	21.6 (42)	425	13.4 (18)	428	17.5 (30)	430	9.1 (29)	1,296	87.3 (25)	1,545	3.9 (5)
Eau Claire	1,714	73.8 (29)	1,210	23.1 (32)	1,243	11.3 (42)	1,144	19.8 (23)	1,198	7.8 (43)	3,499	88.4 (15)	3,884	4.8 (12)
Family Health	914	67.5 (51)	584	22.4 (35)	570	11.4 (40)	599	12.7 (57)	575	7.8 (43)	1,439	81.8 (51)	1,895	11.0 (64)
Family Plan	2,910	61.2 (65)	2,065	18.3 (57)	1,863	9.4 (57)	1,961	14.0 (49)	2,020	8.1 (39)	5,622	83.0 (47)	6,400	6.2 (29)
Florence Cty	80	* *	52	* *	52	* *	50	* *	52	* *	156	92.3 (5)	182	12.6 (66)
Fond du Lac	1,550	71.4 (37)	1,097	25.4 (25)	1,105	12.9 (22)	1,057	22.2 (18)	1,084	8.7 (34)	3,095	88.1 (19)	3,403	6.0 (24)
Forest Cty	159	68.6 (49)	119	16.8 (62)	125	6.4 (65)	111	10.8 (62)	119	8.4 (36)	372	88.2 (18)	379	15.3 (68)
GLITC	854	63.3 (60)	629	16.7 (63)	650	7.5 (62)	607	13.3 (54)	622	8.2 (37)	2,007	84.6 (36)	2,089	10.6 (62)
Grant Cty	799	68.7 (48)	552	24.6 (26)	556	13.5 (16)	515	22.5 (16)	532	13.7 (8)	1,667	83.2 (45)	1,921	7.8 (45)
Green Cty	514	75.3 (23)	347	23.6 (28)	352	13.6 (15)	352	14.5 (48)	345	3.8 (66)	937	90.6 (8)	1,125	9.6 (56)
Health	2,888	64.2 (58)	1,929	19.8 (52)	1,783	11.7 (35)	1,833	9.1 (65)	1,918	5.6 (58)	5,058	87.8 (22)	6,111	7.6 (44)
Jackson	372	77.4 (13)	281	21.7 (41)	275	11.6 (37)	257	18.7 (24)	274	10.2 (22)	867	89.6 (10)	890	6.5 (33)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2009 - 2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 32  
Run Date: 5 / 29 / 12

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Jefferson Cty	1,298	76.0 (19)	914	25.8 (23)	920	13.5 (16)	855	16.4 (37)	896	7.1 (50)	2,656	88.4 (15)	2,946	6.3 (30)
Juneau	864	73.0 (32)	668	20.1 (49)	684	9.9 (54)	634	17.4 (33)	661	8.0 (40)	2,176	77.4 (64)	2,089	17.5 (70)
Kenosha Cty	3,418	61.1 (66)	2,218	19.1 (55)	2,423	10.4 (52)	2,115	11.0 (61)	2,143	5.1 (63)	6,130	81.9 (50)	7,411	6.8 (37)
Kewaunee Cty	255	69.4 (46)	176	23.3 (30)	169	11.2 (45)	166	17.5 (30)	175	8.0 (40)	542	68.3 (70)	580	4.8 (12)
La Crosse Cty	1,854	68.1 (50)	1,270	23.2 (31)	1,219	12.6 (27)	1,197	18.6 (25)	1,217	12.1 (12)	3,507	88.4 (15)	4,060	3.5 (3)
Marinette	669	63.2 (62)	482	13.3 (67)	509	5.5 (67)	444	14.0 (49)	468	6.2 (56)	1,572	87.5 (23)	1,656	8.8 (54)
Menominee	342	74.9 (25)	275	21.1 (46)	315	11.1 (47)	258	14.7 (46)	268	8.2 (37)	919	92.8 (4)	858	8.5 (50)
Mil. City	6,168	62.8 (63)	4,218	15.8 (64)	4,403	9.8 (55)	3,901	8.4 (66)	4,189	4.6 (64)	12,892	75.8 (65)	13,901	9.8 (57)
MLK	2,452	52.2 (69)	1,604	10.5 (68)	1,654	5.0 (68)	1,521	6.0 (67)	1,581	2.7 (67)	4,850	73.4 (68)	5,220	17.7 (71)
Monitowoc	1,147	63.5 (59)	783	23.4 (29)	879	12.7 (24)	750	17.7 (27)	775	11.5 (16)	2,437	78.4 (62)	2,690	7.1 (42)
Monroe Cty	784	70.7 (43)	533	20.1 (49)	539	12.4 (29)	510	13.3 (54)	527	9.5 (25)	1,628	84.3 (37)	1,842	8.0 (46)
NEW Comm	4,723	71.0 (42)	3,147	21.9 (40)	3,348	11.3 (42)	3,035	13.8 (52)	3,087	7.3 (47)	9,483	78.4 (62)	10,475	7.0 (41)
NHA	3,247	62.4 (64)	2,145	19.4 (54)	2,211	12.3 (30)	2,064	9.9 (63)	2,122	5.2 (61)	6,011	80.5 (58)	7,047	6.7 (35)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7F**  
**2009 - 2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 33  
Run Date: 5 / 29 / 12

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household		
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
NWCSA	918	72.7 (33)	640	21.6 (42)	692	11.4 (40)	651	20.1 (22)	639	11.6 (15)	1,854	81.0 (56)	2,110	6.8 (37)
Oconto Cty	500	60.0 (68)	369	15.4 (65)	345	7.8 (61)	354	14.7 (46)	368	5.4 (59)	949	73.6 (67)	1,088	10.5 (61)
Oneida	465	65.8 (54)	289	17.0 (61)	317	6.9 (64)	269	13.4 (53)	282	8.9 (31)	850	87.2 (26)	972	16.0 (69)
Oneida Cty	492	70.5 (44)	334	20.4 (48)	322	11.2 (45)	312	16.7 (36)	329	9.1 (29)	780	89.2 (12)	1,026	8.1 (47)
Outagamie	2,195	70.4 (45)	1,377	24.3 (27)	1,421	12.2 (31)	1,376	16.9 (35)	1,367	7.4 (46)	3,516	85.1 (35)	4,627	4.0 (6)
Pierce Cty	492	75.4 (21)	348	25.9 (22)	356	14.0 (12)	338	25.7 (8)	346	16.5 (3)	1,109	94.8 (1)	1,193	6.0 (24)
Polk Cty	706	80.2 (7)	504	29.0 (12)	515	11.3 (42)	491	27.5 (4)	499	11.0 (18)	1,473	82.6 (48)	1,667	6.8 (37)
Portage Cty	955	76.0 (19)	651	26.7 (21)	581	13.9 (13)	644	18.0 (26)	641	8.7 (34)	1,675	90.3 (9)	2,027	3.1 (2)
Price Cty	269	81.0 (5)	213	28.2 (16)	219	13.2 (19)	191	24.6 (11)	201	16.4 (4)	758	83.6 (43)	721	6.4 (31)
Racine	1,189	61.1 (66)	835	18.7 (56)	825	10.2 (53)	775	9.3 (64)	815	5.2 (61)	2,601	81.3 (55)	2,811	13.7 (67)
Rusk Cty	288	75.3 (23)	210	17.1 (60)	217	8.3 (60)	201	14.9 (44)	189	9.5 (25)	604	86.6 (30)	659	10.6 (62)
Sauk Cty	1,163	82.7 (2)	792	30.7 (9)	726	17.5 (6)	792	25.8 (7)	781	10.8 (21)	1,980	85.5 (33)	2,404	8.1 (47)
Sawyer Cty	274	79.6 (10)	197	28.4 (15)	199	12.1 (32)	195	23.6 (13)	191	12.6 (10)	666	89.5 (11)	690	8.7 (53)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2009 - 2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 34  
Run Date: 5 / 29 / 12

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Seeds	2,032	73.2 (31)	1,576	25.6 (24)	1,704	12.5 (28)	1,454	11.8 (59)	1,563	4.4 (65)	5,298	86.9 (28)	4,902	5.0 (15)
Shawano	554	64.6 (57)	388	17.8 (58)	409	11.0 (48)	374	15.5 (39)	381	8.9 (31)	1,420	88.9 (13)	1,370	8.3 (49)
Sheboygan	1,818	71.3 (39)	1,230	22.1 (36)	1,316	12.0 (33)	1,205	13.9 (51)	1,219	7.3 (47)	3,721	83.6 (43)	4,115	5.7 (21)
St. Croix Cty	925	80.1 (8)	613	27.1 (20)	584	14.6 (11)	617	27.9 (3)	609	15.3 (5)	1,729	83.7 (41)	2,104	4.0 (6)
SWCAP	927	74.4 (28)	655	27.3 (19)	645	11.6 (37)	626	17.6 (29)	640	6.9 (52)	1,900	85.9 (32)	2,187	6.0 (24)
Taylor Cty	341	78.3 (12)	256	35.9 (4)	236	12.7 (24)	244	25.4 (9)	251	14.7 (7)	649	80.4 (59)	767	9.5 (55)
Trempealeau	541	76.7 (16)	374	33.2 (7)	361	16.1 (7)	363	16.3 (38)	368	11.1 (17)	1,065	87.9 (20)	1,253	2.7 (1)
Vernon Cty	483	77.2 (14)	370	29.5 (10)	383	19.6 (4)	350	24.6 (11)	361	15.2 (6)	1,130	83.1 (46)	1,196	5.9 (22)
Vilas	185	66.5 (52)	144	17.4 (59)	154	11.0 (48)	136	12.5 (58)	137	10.9 (20)	453	87.0 (27)	465	5.6 (19)
Walworth Cty	1,463	81.1 (4)	1,061	31.2 (8)	1,009	15.8 (8)	1,025	22.5 (16)	1,046	9.6 (24)	3,134	86.9 (28)	3,518	5.9 (22)
Wash/Oz	1,476	76.9 (15)	1,029	29.0 (12)	1,037	15.7 (9)	1,019	22.7 (15)	1,016	11.0 (18)	2,893	88.6 (14)	3,439	5.6 (19)
Washburn Cty	305	76.4 (17)	201	34.3 (5)	198	13.1 (20)	196	34.2 (2)	188	17.6 (2)	670	68.7 (69)	730	3.7 (4)
Waukesha Cty	2,154	71.7 (36)	1,399	27.5 (17)	1,210	15.1 (10)	1,372	15.1 (43)	1,385	6.9 (52)	3,271	83.7 (41)	4,408	6.7 (35)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2009 - 2011 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 35  
Run Date: 5 / 29 / 12

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)										
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
<b>Local Agency</b>	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Waupaca Cty	716	65.4 (55)	459	19.8 (52)	467	11.6 (37)	447	15.4 (40)	453	8.8 (33)
Wee Care	6,142	63.3 (60)	4,220	14.2 (66)	4,489	6.3 (66)	3,997	5.8 (68)	4,172	2.7 (67)
West Allis	1,260	74.9 (25)	805	22.0 (39)	817	11.9 (34)	797	15.2 (42)	795	6.9 (52)
Winnebago	2,339	71.3 (39)	1,503	21.2 (45)	1,433	9.6 (56)	1,510	15.4 (40)	1,491	7.1 (50)
Wood Cty	1,246	65.3 (56)	834	22.8 (34)	838	11.7 (35)	812	21.8 (19)	822	12.2 (11)
Unknown Local Ag.	113	81.4 (3)	38	* *	36	* *	47	* *	38	* *
<b>Wisconsin</b>	<b>98,110</b>	<b>69.1</b>	<b>67,218</b>	<b>23.0</b>	<b>68,306</b>	<b>12.4</b>	<b>64,471</b>	<b>14.7</b>	<b>66,169</b>	<b>7.5</b>
									<b>192,841</b>	<b>82.8</b>
									<b>217,901</b>	<b>7.3</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

